

Compressor Valve Cross Reference

| Valve | Kit | Fitting Size | Seat Position | Body | Material | Standard Seal Cap Seal Cap | Gasket | O Ring | Kit | Plastic | Brass | Replacement Seal Cap Steel | Cast Iron | Replacement Kit |
|---------|--------------------|--------------|---------------|---------|-----------|-------------------------------|---------|---------|------------|------------|------------|---------------------------------|---------------------------------|-----------------|
| A 13166 | | 3/4" FL | M | A 04707 | BRASS | A 04775 | A 04710 | | A 15099*** | P 34632 * | A 15099*** | | | A 17419 |
| A 15085 | | 7/8" ODS | M | A 04707 | PLASTIC | P 34632** | | | A 15099*** | P 34632 * | A 15099*** | | | A 17419 |
| A 15246 | | 1 5/8" | M | A 09621 | PLASTIC | N 02848 | | P 34711 | A 17667** | A 17667** | | | A 09622 Cap & P 34711 O-Ring | A 17421 |
| A 15500 | | 1 1/8" ODS | B | A 04707 | PLASTIC | P 34632** | | | A 15099*** | P 34632 * | A 15099*** | | | A 17419 |
| A 15586 | A 17535 B 33461 | 2 1/8" | M | A 06201 | PLASTIC | N 02849 | | P 34712 | A 17668** | A 17668** | | | A 06250 Cap & P 34712 O-Ring | A 17422 |
| A 15587 | | 2 5/8" | M | A 06201 | PLASTIC | N 02849 | | P 34712 | A 17668** | A 17668** | | | A 17907** | A 17423 |
| A 15588 | | 3 1/8" | M | A 06203 | CAST IRON | A 06251 | | P 35589 | A 17907** | | | P 36128 Cap & P 35589 O-Ring | | A 17424 |
| A 15589 | | 4 1/8" | M | A 06205 | CAST IRON | A 06252 | | P 32709 | | | | | A 06252 Cap & P 32709 O-Ring | A 17424 |
| A 16302 | | 3/8" FL | M | A 09464 | STEEL | A 04566 | | | | A 16474*** | | A 04566 | | A 17420 |
| A 16303 | | 1/2" FL | M | A 09464 | STEEL | A 04566 | | | | A 16474*** | | A 04566 | | A 17420 |
| A 16304 | | 1/2" FL | M | A 09464 | STEEL | A 04566 | | | | A 16474*** | | A 04566 | | A 17420 |
| A 16307 | | 1/2" ODS | F | A 09464 | STEEL | A 04566 | | | | A 16474*** | | A 04566 | | A 17420 |
| A 16308 | | 1/2" ODS | F | A 09464 | STEEL | A 04566 | | | | A 16474*** | | A 04566 | | A 17420 |
| A 16309 | | 5/8" ODS | F | A 09464 | STEEL | A 04566 | | | | A 16474*** | | A 04566 | | A 17420 |
| | A 17531 B 33355 | | | | | | | | | | | | | |
| A 16310 | | 3/4" ODS | F | A 04707 | PLASTIC | P 34632** | | | | P 34632 * | A 15099*** | | | A 17419 |
| A 16311 | | 7/8" ODS | F | A 04707 | PLASTIC | P 34632** | | P 34711 | A 17667** | A 17667** | | | | A 17419 |
| A 16312 | | 1 1/8" ODS | F | A 04707 | PLASTIC | P 34632** | | | | P 34632 * | A 15099*** | | | A 17419 |
| A 16313 | | 3/4" ODS | F | A 03416 | PLASTIC | P 34632** | | | | P 34632 * | A 15099*** | | | A 17419 |
| A 16314 | | 7/8" ODS | F | A 03416 | PLASTIC | P 34632** | | | | P 34632 * | A 15099*** | | | A 17419 |
| A 16315 | | 1 1/8" ODS | F | A 03416 | PLASTIC | P 34632** | | | | P 34632 * | A 15099*** | | | A 17419 |
| A 16316 | | 1 3/8" ODS | F | A 03416 | PLASTIC | P 34632** | | | | P 34632 * | A 15099*** | | | A 17419 |
| A 16317 | | 7/8" ODS | M | A 04707 | PLASTIC | P 34632** | | | | P 34632 * | A 15099*** | | | A 17419 |
| | A 17528 B 33350 | | | | | | | | | | | | | |
| A 16318 | | — | F | A 03416 | PLASTIC | P 34632** | | | | P 34632 * | A 15099*** | | | |
| A 16321 | | 1 5/8" | F | A 09621 | PLASTIC | N 02848 | | P 34712 | A 17668** | A 17668** | | | A 09622 Cap & P 34711 O-Ring | A 17421 |
| A 16324 | | 2 1/8" | F | A 09621 | PLASTIC | N 02849 | | P 34712 | A 17668** | A 17668** | | | A 06250 Cap & P 34712 O-Ring | A 17422 |
| A 16365 | | 3 1/8" | F | A 06203 | CAST IRON | A 06251 | | P 35589 | A 17907** | | | P 35128 Cap & P35589 O-Ring | A 17907** | A 17423 |
| A 16366 | | 2 5/8" | F | A 06203 | CAST IRON | A 06251 | | P 35589 | A 17907** | | | P 35128 Cap & P35589 O-Ring | A 17907** | A 17423 |
| A 16367 | | 1 5/8" | F | A 06201 | PLASTIC | N 02849 | | P 34712 | A 17668** | A 17668** | | | A 06250 Cap & P 34712 O-Ring | A 17422 |
| A 16493 | | 2 1/8" | F | A 06201 | PLASTIC | N 02849 | | P 34712 | A 17668** | A 17668** | | | A 06250 Cap & P 34712 O-Ring | A 17422 |
| A 16494 | | | | | | | | | | A 17667** | | | A 09622 Cap & P 34711 O-Ring | A 17421 |
| A 16495 | | | | | | | | | | A 17667** | | | A 09622 Cap & P 34711 O-Ring | A 17421 |
| A 16496 | | 1 5/8" | F | A 09621 | PLASTIC | N 02848 | | P 34711 | A 17667** | | | | | A 17421 |
| A 17496 | | 3 5/8" | M | A 06204 | CAST IRON | A 06251 | | P 35589 | A 17907** | | | P 36128 Cap & P 35589 O-Ring | A 17907** | A 17423 |
| A 17681 | | | F | A 09621 | PLASTIC | N 02848 | | P 34711 | A 17667** | A 17667** | | | A 09622 Cap & P 34711 O-Ring | A 17419 |
| B 10946 | | 7/8" ODS | M | F 08002 | PLASTIC | P 34632** | | | | P 34632 * | A 15099*** | | | A 17419 |

Seat Position:

B = Back
F = Front
M = Mid

* Includes O-Ring
** Seal Cap & O-Ring Kit
*** Cap & Seal Gasket Kit



Compressor Valve Cross Reference

| Valve | Kit | Fitting Size | Seat Position | Body | Material | Standard Seal Cap Seal Cap | Gasket | O Ring | Kit | Plastic | Brass | Replacement Seal Cap Steel | Cast Iron | Replacement Kit |
|---------|---------|--------------|---------------|----------|-----------|-------------------------------|---------|---------|-------------|---------------------------------|-------------|-------------------------------|---------------------------------|-----------------|
| B 32011 | A 17529 | 3/4" ODS | M | A 04716 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 32197 | B 33357 | 7/8" ODS | M | A 04715 | PLASTIC | P 34632** | | | A 15099*** | P 34632 * | A 15099*** | | | A 17419 |
| B 32224 | | 5/8" ODS | M | F 17142 | BRASS | A 04597 | A 03468 | | A 16474**** | A 17667** | A 16474**** | A 04566 | | A 17420 |
| B 32337 | | 1 5/8" | F | A 09621 | PLASTIC | N 02848 | | P 34711 | A 17667** | | | | A 09622 Cap & P 34711 O-Ring | A 17421 |
| B 32807 | A 17532 | 1 1/8" ODS | M | F 27950 | PLASTIC | P 34632** | | | P 35915** | P 34632 * | A 15099** | | | A 17418 |
| B 32808 | B 33361 | 1 3/8" ODS | M | F 27955 | PLASTIC | P 34632** | | | P 35915** | P 34632 * | A 15099** | | | A 17418 |
| B 32930 | B 33352 | | | | | | | | | | | | | |
| B 32930 | A 17534 | 1 5/8" ODS | M | F 29201 | PLASTIC | P 34632** | | | P 35915** | P 34632 * | A 15099** | | | A 17418 |
| B 32930 | B 33351 | | | | | | | | | | | | | |
| B 33288 | | 1 3/8" ODS | M | F 32908 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33292 | | 1 3/8" ODS | M | A 04707 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33335 | | 7/8" ODS | M | A 04707 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33367 | A 17530 | 1 1/8" ODS | M | F 33468 | PLASTIC | P 34632** | | | A 15099*** | P 34632 * | A 15099*** | | | A 17419 |
| B 33346 | | | | | | | | | | | | | | |
| B 33458 | | 3/4" ODS | M | A 04716 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33492 | | 7/8" ODS | M | F 27950 | PLASTIC | P 34632** | | | A 15099** | P 34632 * | A 15099** | | | A 17418 |
| B 33493 | | 1 1/8" ODS | M | F 27950 | PLASTIC | P 34632** | | | A 15099** | P 34632 * | A 15099** | | | A 17418 |
| B 33493 | | 1 1/8" ODS | M | F 27950 | PLASTIC | P 34632** | | | A 15099** | P 34632 * | A 15099** | | | A 17418 |
| B 33494 | | 3/4" ODS | M | A 04707 | PLASTIC | P 34632** | | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33495 | | 1 1/8" ODS | M | F 33468 | PLASTIC | P 34632** | | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33496 | | 5/8" ODS | M | A 09464 | STEEL | A 04566 | | | A 16474**** | A 04566 | | | | A 17420 |
| B 33535 | | 1 3/4" THD | F | F 34017 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | A 06250 Cap & P 34712 O-Ring | A 17422 |
| B 33568 | | 2 5/8" | F | A 06201 | PLASTIC | N 02849 | | P 34712 | A 17668** | A 17668** | | | | A 17422 |
| B 33569 | | 3 1/8" | F | A 06203 | CAST IRON | A 06251 | | P 35589 | A 17907** | P 36128 Cap & P 35589 O-Ring | | | | A 17423 |
| B 33572 | | 2 1/8" | F | A 06201 | PLASTIC | N 02849 | | P 34712 | A 17668** | A 17668** | A 15099** | | A 06250 Cap & P 34712 O-Ring | A 17422 |
| B 33613 | | 7/8" ODS | M | F 33468 | PLASTIC | P 34632** | | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33638 | | 1 1/8" ODS | M | F 34460 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33639 | | 1 3/8" ODS | M | F 34461 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33641 | | | | | | | | | | | | | | |
| B 33647 | | 1 1/8" ODS | M | A 03416 | PLASTIC | P 34632** | | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33648 | | 4 1/8" | F | N 02894 | CAST IRON | A 06252 | | P 32709 | | | | | A 06252 Cap & P 32709 O-Ring | A 17424 |
| B 33650 | | 7/8" ODS | B | N 02895 | PLASTIC | P 34632** | | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33680 | | 1 3/4" THD | F | F 34564 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33707 | | 1 1/8" ODS | M | A 04707 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33714 | | 5/8" ODS | M | F 33468 | STEEL | A 04566 | | | A 16474**** | A 04566 | | | | A 17420 |
| B 33720 | | 1 1/8" ODS | M | F 34639 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33736 | | 1 1/8" ODS | M | A 04716 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33737 | | 1 1/8" ODS | M | A 04716 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33738 | | 7/8" ODS | M | A 04716 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33743 | | 1 3/8" ODS | M | A 03416* | PLASTIC | P 34632** | | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33745 | | 1 1/8" ODS | M | A 03416* | PLASTIC | P 34632** | | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33749 | | 3/4" ODS | M | A 04707 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |
| B 33765 | | 1 1/8" ODS | F | A 04707 | BRASS | A 04775 | A 04710 | | A 15099** | P 34632 * | A 15099** | | | A 17419 |

* Includes O-Ring
 ** Seal Cap & O-Ring Kit
 *** Cap & Cap Gasket Kit
 Seat Position:
 B = Back
 F = Front
 M = Mid

VALVES
 PROTECTION DEVICES
 BRASS FITTINGS & FLANGES
 FABRICATION & ASSEMBLIES
 TERMS/POLICIES
CROSS REFERENCE
 INDEX

Compressor Valve Cross Reference

| Valve | Kit | Fitting Size | Seat Position | Body | Material | Seal Cap | Standard Seal Cap Gasket | O Ring | Kit | Plastic | Brass | Replacement Seal Cap Steel | Cast Iron | Replacement Kit |
|---------|---------|---------------|---------------|---------|-----------|-----------|--------------------------|---------|-------------|-------------|-------------|------------------------------|------------------------------|-----------------|
| B 33766 | | 7/8"ODS | | A 03416 | BRASS | A 04775 | A 04710 | | A 15099*** | P 34632 * | A 15099*** | | | A 17419 |
| B 33768 | | 1 3/8"ODS | | A 03416 | BRASS | A 04775 | A 04710 | | A 15099*** | P 34632 * | A 15099*** | | | A 17421 |
| B 33769 | B 34318 | 7/8"ODS | F | A 04707 | BRASS | A 04775 | A 04710 | | A 15099*** | P 34632 * | A 15099*** | | A 09622 Cap & P 34711 O-Ring | A 17421 |
| B 33770 | | 1 5/8" | F | A 09621 | CAST IRON | A 09622 | | P 34711 | | A 17667*** | | | | A 17422 |
| B 33771 | B 34325 | 2 1/8" | F | A 06201 | CAST IRON | A 06250 | | P 34712 | | A 17668*** | | | A 06250 Cap & P 34712 O-Ring | A 17422 |
| B 33772 | B 34319 | 7/8"ODS | M | A 04715 | BRASS | A 04775 | A 04710 | | A 15099*** | P 34632 * | A 15099*** | | | A 17419 |
| B 33773 | B 34322 | 1 1/8"ODS | M | F 27950 | BRASS | A 04775 | A 04710 | | A 15099*** | P 34632 * | A 15099*** | | | A 17419 |
| B 33774 | B 34323 | 1 3/8"ODS | M | F 27955 | BRASS | A 04775 | A 04710 | | A 15099*** | P 34632 * | A 15099*** | | | A 17419 |
| B 33775 | B 34324 | 1 5/8"ODS | M | F 29201 | BRASS | A 04775 | A 04710 | | A 15099*** | P 34632 * | A 15099*** | | | A 17419 |
| B 33776 | B 34320 | 1 1/8"ODS | M | F 33468 | BRASS | A 04775 | A 04710 | | A 15099*** | P 34632 * | A 15099*** | | | A 17419 |
| B 33782 | B 34321 | 5/8"ODS | M | A 09464 | BRASS | A 04597 | A 03468 | | A 16474**** | A 16474**** | A 16474**** | | | A 17420 |
| B 33784 | | 2 5/8" | F | A 06201 | PLASTIC | N 02849 | | P 34712 | | A 17668*** | | | A 06250 Cap & P 34712 O-Ring | A 17420 |
| B 33785 | | 1 1/8"ODS | M | F 34764 | PLASTIC | P 34632** | | | | P 34632 * | | | | A 17419 |
| B 33786 | | 7/8"ODS | M | F 34763 | PLASTIC | P 34632** | | | | P 34632 * | | | | A 17419 |
| B 33788 | | 3 5/8"ODS | F | A 06204 | CAST IRON | A 06251 | | P 35589 | | A 17907** | | P 36128 Cap & P 35589 O-Ring | A 17907** | A 17423 |
| B 33789 | | 1 1/8"ODS | F | F 27950 | PLASTIC | P 34632** | | | | P 34632 * | A 15099*** | | | A 17418 |
| B 33790 | | 1 3/8"ODS | F | F 27955 | PLASTIC | P 34632** | | | | P 34632 * | A 15099*** | | | A 17418 |
| B 33791 | | 1 5/8"ODS | F | F 29201 | PLASTIC | P 34632** | | | | P 34632 * | A 15099*** | | | A 17418 |
| B 33793 | | 2-3 TURNS OFF | | A 06201 | PLASTIC | N 02849 | | P 34712 | | A 17668*** | | | A 06250 Cap & P 34712 O-Ring | A 17422 |
| B 33794 | | 2-3 TURNS OFF | | A 06203 | CAST IRON | A 06251 | | P 35589 | | A 17907** | | P 36128 Cap & P 35589 O-Ring | A 17907** | A 17422 |
| B 33795 | | 2-3 TURNS OFF | | A 06205 | CAST IRON | A 06252 | | P 32709 | | | | | A 06252 Cap & P 34711 O-Ring | A 17424 |
| B 33801 | | 3/4"ODS | M | F 34938 | BRASS | A 04775 | A 04710 | | A 15099*** | P 34632* | A 15099*** | | | A 17421 |
| B 33808 | | 1 1/4-37THD | | F 34789 | BRASS | A 04775 | A 04710 | | A 15099*** | P 34632* | A 15099*** | | | A 17421 |
| B 33813 | | 1 3/8" | F | A 09621 | CAST IRON | A 09622 | | P 34711 | | A 17667*** | | | A 09622 Cap & P 34711 O-Ring | A 17421 |
| B 33839 | | 3/4"FL | M | A 04707 | PLASTIC | P 34632** | | | | P 34632* | A 15099*** | | | A 17421 |
| B 33842 | | 1 5/8" | F | A 06201 | CAST IRON | A 06250 | | P 34712 | | A 17668** | | | A 06250 Cap & P 34712 O-Ring | A 17422 |
| B 33847 | | 1 3/8"ODS | | F 34889 | | | | | | | | Flange N/A | | |
| B 33864 | | 5/8"ODS | M | A 09464 | STEEL | A 04566 | | | | A 16474**** | | A 04566 | | |
| B 33926 | | 3/4"ODS | M | A 04707 | PLASTIC | P 34632** | | | | P 34632* | A 15099*** | | | |
| B 33945 | | | F | N 02894 | CAST IRON | A 06252 | | P 32709 | | | | | A 06250 Cap & P 32709 O-Ring | |
| B 34069 | | 1 3/8"ODS | | F 34461 | BRASS | A 04775 | A 04710 | | A 15099*** | P 34632* | A 15099*** | | | |
| B 34174 | | 7/8"ODS | M | A 04715 | PLASTIC | P 34632** | | | | P 34632* | A 15099*** | | | |
| B 34181 | | 1 3/8"ODS | M | F 35636 | PLASTIC | P 34632** | | | | A 15099*** | | | | |
| B 34183 | | | F | C 35634 | PLASTIC | N 02848 | | P 34711 | | A 17667*** | | | A 09622 Cap & P 34711 O-Ring | |
| B 34229 | | 1 1/8"ODS | | A 03416 | BRASS | A 04775 | A 04710 | | A 15099*** | P 34632 * | A 15099*** | | | |
| B 34314 | | 2 5/8" | F | C 35800 | CAST IRON | C 35804 | | P 35589 | | | | P 36128 Cap & P 35589 O-Ring | C 35804 Cap & P 34712 O-Ring | |
| B 34315 | | 3 5/8" | F | C 35801 | CAST IRON | C 35804 | | P 35589 | | | | P 36128 Cap & P 35589 O-Ring | C 35804 Cap & P 34712 O-Ring | |
| B 34423 | | 1 5/8"ODS | | F 35805 | | | | | | | | Flange N/A | | |
| B 34429 | | 2 1/8" | F | C 35815 | PLASTIC | N 02849 | | P 34712 | | A 17668*** | | | A 06250 Cap & P 34712 O-Ring | |

* Includes O-Ring
 ** Seal Cap & O-Ring Kit
 *** Cap & Cap Gasket Kit
 Seat Position:
 B = Back
 F = Front
 M = Mid

Compressor Valve Cross Reference

| Valve | Kit | Fitting Size | Seat Position | Body | Material | Standard Seal Cap Seal Cap | Gasket | O Ring | Kit | Plastic | Brass | Replacement Seal Cap Steel | Cast Iron | Replacement Kit |
|---------|-----|--------------|---------------|---------------|-----------|-------------------------------|---------|---------|-----------|------------|-----------|---------------------------------|---------------------------------|-----------------|
| B 34423 | | 1 5/8" ODS | F | F 35805 | PLASTIC | N 02849 | | P 34712 | A 17668** | A 17668** | | Flange N/A | A 06250 Cap & P 34712 O-Ring | A17418 |
| B 34429 | | 2 1/8" | F | C 35815 | PLASTIC | N 02849 | | P 35589 | A 17907** | | | P 36128 Cap & P 35589 O-Ring | | |
| B 34497 | | | F | C 35901 | CAST IRON | A 06251 | | | | | | | | |
| B 34498 | | | F | A 06201 | PLASTIC | N 02849 | | P 34712 | A 17668** | A 17668** | | | | |
| B 34521 | | 1 3/8" | M | F 35892 | PLASTIC | P 34632* | | | | P 34632* | A 15099** | | | |
| B 34536 | | 7/8" ODS | M | F 36018 | BRASS | A 04775 | A 04710 | | | P 34632* | A 15099** | | | |
| B 34552 | | 7/8" ODS | M | A 04707 | PLASTIC | P 34632* | | | | P 35915** | A 15099** | | | |
| B 34554 | | | M | A 04707 | PLASTIC | P 34632* | | | | P 35915** | A 15099** | | | |
| B 34555 | | | M | F 35915** | PLASTIC | P 34632** | | | | P 35915** | A 15099** | | | |
| B 34556 | | 1 1/8" ODS | M | F 33468 | PLASTIC | P 34632** | | | | P 35915** | A 15099** | | | |
| B 34557 | | 7/8" ODS | M | F 33468 | PLASTIC | P 34632** | | | | P 35915** | A 15099** | | | |
| B 34582 | | 2 5/8" | F | C 35815 | PLASTIC | N 02849 | | P 34712 | | A 17668** | | | A 06250 Cap & P 34712 O-Ring | |
| B 34659 | | 1 1/8" ODS | F | F 36091 | | | | | | Flange N/A | | | | |
| B 34661 | | 2 5/8" | F | C 35800 | CAST IRON | C 35804 | | P 35589 | | | | P 36128 Cap & P 35589 O-Ring | C 35804 Cap & P 35589 O-Ring | |
| B 34670 | | 3 3/8" | F | C 35801 | CAST IRON | C 35804 | | P 35589 | | | | P 36128 Cap & P 35589 O-Ring | C 35804 Cap & P 35589 O-Ring | |
| B 34671 | | 2 1/8" | F | C 35815 | PLASTIC | N 02849 | | P 34712 | A 17668** | A 17668** | | | A 06250 Cap & P 34712 O-Ring | |
| B 34672 | | 7/8" ODS | | F 36105 | | | | | | Flange N/A | | | | |
| B 34673 | | 1 1/8" ODS | | F 36106 | | | | | | Flange N/A | | | | |
| B 34715 | | | | 2-3 TURNS OFF | STEEL | P 36128 | | P 35589 | | | | P 36128 Cap & P 35589 O-Ring | A 17907** | |
| B 34761 | | | F | A 06201 | PLASTIC | N 02849 | | P 34712 | A 17668** | A 17668** | | | A 06250 Cap & P 34712 O-Ring | |
| B 34768 | | | F | A 06203 | CAST IRON | A 06251 | | P 35589 | A 17907** | | | P 36128 Cap & P 35589 O-Ring | A 17907** | |
| B 34839 | | 7/8" ODS | M | A 04715 | PLASTIC | P 34632** | | | | P 35915** | A 15099** | | | |
| B 34871 | | 1 3/8" ODS | M | F 34461 | BRASS | A 04775 | A 04710 | | | P 34632* | A 15099** | | | |
| B 34872 | | 1 1/8" ODS | M | F 34460 | BRASS | A 04775 | A 04710 | | | P 34632* | A 15099** | | | |
| B 34908 | | 1 1/8" ODS | M | A 03416 | PLASTIC | P 34632* | | | | P 34632* | A 15099** | | | |
| B 34921 | | | M | F 33468 | PLASTIC | P 34632** | | | | P 34632* | A 15099** | | | |
| B 34929 | | | F | A 06205 | CAST IRON | A 06252 | | P 32709 | | P 34632* | A 15099** | | A 06250 Cap & P 32709 O-Ring | |
| B 34977 | | 1 1/8" ODS | M | A 04707 | PLASTIC | P 34632** | | | | | | | | |
| B 34978 | | 3/4" ODS | M | A 04716 | PLASTIC | P 34632** | | | | | | | | |
| B 34982 | | | | | | | | | | | | | | |
| B 34986 | | 7/8" ODS | M | F 33468 | PLASTIC | P 34632* | | | | P 35915** | | | | |
| B 34987 | | 2 5/8" | | C 36360 | | | | | | | | | | |
| B 34988 | | 3 5/8" | | C 36353 | | | | | | | | | | |
| B 35049 | | | F | C 35815 | PLASTIC | N 02849 | | P 34712 | A 17668** | | | | | |
| B 35163 | | 1 5/8" ODS | M | F 36386 | PLASTIC | P 34632** | | | | | | | | |
| B 35164 | | 3/4" ODS | M | A 04707 | PLASTIC | P 34632** | | | | P 35915** | | | | |
| B 35308 | | AMMONIA | 2-3 TURNS OFF | A 06201 | PLASTIC | N 02849 | | P 36264 | | | | | | |
| B 34667 | | 1 1/8" ODS | M | F 36125 | PLASTIC | P 34632** | | | | P 34632* | A 15099** | | | |

* Includes O-Ring
 ** Seal Cap & O-Ring Kit
 *** Cap & Cap Gasket Kit

Seat Position:
 B = Back
 F = Front
 M = Mid



- INDEX
- CROSS REFERENCE
- TERMS/POLICIES
- FABRICATION & ASSEMBLIES
- BRASS FITTINGS & FLANGES
- PROTECTION DEVICES
- VALVES